

Conditioned Crawl Detail - No Mold




PR-0509d: Crawlspaces Page 1 of 13

- •New Construction
- ConditionedCrawlspace
- Must provide air change with space above or provide conditioned air
- Still more energy efficient because more airtight




PR-0509d: Crawlspaces Page 2 of 13

Don't Forget the Rim Joists



PR-0509d: Crawlspaces Page 3 of 13

Conditioning Unvented Crawlspaces



PR-0509d: Crawlspaces Page 4 of 13



PR-0509d: Crawlspaces Page 5 of 13



PR-0509d: Crawlspaces Page 6 of 13



PR-0509d: Crawlspaces Page 7 of 13



PR-0509d: Crawlspaces Page 8 of 13



PR-0509d: Crawlspaces

Page 9 of 13

•Renovating an existing crawlspace

Don't forget to airseal around the sump pump

© building



PR-0509d: Crawlspaces Page 10 of 13



PR-0509d: Crawlspaces Page 11 of 13




PR-0509d: Crawlspaces Page 12 of 13

•For new or existing construction

•If you don't remove the source of the moisture, you should build wide open crawl space, or essentially a house on piers

 Insulation below floor is difficult to achieve airtightness

With services below, impossible



PR-0509d: Crawlspaces Page 13 of 13